





# PLAY

LIVE YOUR STYLE WITH 2TEC2 PLAY

**2tec2**<sup>®</sup>  
high tech flooring



2TEC2 ALLOWS YOU TO PLAY WITH VARIOUS SHAPES OF TILES TO CREATE INSPIRING FLOORS IN WOVEN VINYL.



DIAMONDS, HEXAGONS AND PLANKS ARE AMONG SOME OF OUR SUGGESTIONS, BUT ACTUALLY ANY SHAPE AND SIZE IS POSSIBLE.

CHOOSE ANY COLOUR FROM THE 2TEC2 TILE COLLECTION. LET YOUR IMAGINATION FLOW

# INDEX

6	<b>Triangle</b>
14	<b>Hexagon</b>
20	<b>Diamond</b>
28	<b>Square</b>
36	<b>Plank</b>
46	<b>Technical information</b>


# TRIANGLE



**A** 707.1 mm  
27.84"

 0.125 m<sup>2</sup>  
1.35 sq.ft.

**B** 500 mm  
19.69"





AURORA, BLACK HOLE, QUASAR &amp; ZODIAC





CORONA, FIREBALL, ORBITAL & ZODIAC



ANDROMEDA, PLANET & TITAN



# HEXAGON



**A** 500 mm  
19.69"

**B** 577.4 mm  
22.73"

 0.2165 m<sup>2</sup>  
2.33 sq.ft.



**ZODIAC\***

\*Achieved with one colour installed in 3 different directions.  
The 3 tones are the result of the directional shade variations which is a characteristic of 2TEC2.







**SUPERNOVA\***

\*Achieved with one colour installed in 2 different directions.  
The 2 tones are the result of the directional shade variations which is a characteristic of 2TEC2.


# DIAMOND



**A** 650 mm  
25.593"

**B** 375.3 mm  
14.78"

 0.1220 m<sup>2</sup>  
2.33 sq.ft.







BLACK HOLE & MOONROCK



AURORA, EQUINOX & PULSAR









BLACK HOLE, ORBITAL & TITAN



# SQUARE



<b>A</b>	500 mm 19.69"		0.25 m <sup>2</sup> 2.69 sq.ft.
<b>B</b>	250 mm 9.84"		0.625 m <sup>2</sup> 0.672 sq.ft.








CANYON, COFFEE BEAN, IRON,  
JUNO, MOONLESS NIGHT, NEBULA & ORION





JUNO, ORION & NEBULA


# PLANK



**A** 660 mm  
25.98"

**B** 220 mm  
8.66"

 0.1452 m<sup>2</sup>  
1.56 sq.ft.





**FLINT\***

\*Herringbone pattern is achieved with A &amp; B planks





**BLACK HOLE\***

\*Achieved with A & B planks



**FLINT\***

\*Herringbone pattern is achieved with A & B planks






# CREATE IMPACT WITH YOUR OWN SHAPE.

DESIGNER CONSTANCE GUISET CREATED A BREATHTAKING SCENOGRAPHY WITH HER OWN SHAPE "FLOW" AT MUSÉE DES ARTS DÉCORATIFS IN PARIS DURING THE RETROSPECTIVE "CONSTANCE GUISET STUDIO, ACTIO !"



# TECHNICAL INFORMATION



➔ = Warp direction

Minimum order quantity = 100 sq. m.

# TECHNICAL INFORMATION

The 2tec2 woven vinyl floor covering consists of a compact woven top layer made of vinyl yarns. These yarns are reinforced with a glass fiber core and are made by co-extrusion and then woven into a fabric on a jacquard loom. The back consists of a compact PVC layer with a 50g/m<sup>2</sup> non-woven glass fiber to guarantee the dimensional stability. The back is applied by means of PVC plastisol coating.

The fabric has 15 to 17 yarns/cm in chain direction and 6 yarns/cm in weft direction.

Tiles are composed of 5% glass fiber and 95% vinyl. The tiles have a standard size of 50 cm x 50 cm and are delivered in boxes of 16 tiles or 4 sqm. Triangles, planks, diamonds, hexagons and mini tiles are available on request.

Warranty	10 years*	 Environment, health and safety	
Composition		Recycled Content	Yes
Backing	Vinyl + Felt	Acoustical layer	70% recycled content
 Total thickness	ISO 1765	5 mm 0.20"	Reach Compliant
 Total weight	ISO 8543	3000 g/m <sup>2</sup> 88.5 oz/yd <sup>2</sup>	LEED v4 Compliant (LEED Contributing Product)
 Level of use	EN 1307 ASTM D	Class 33 Heavy commercial use	BREEAM® International Compliant
Foot traffic test	ASTM D6119-12	Heavy traffic	CDPH Standard Method V1.2 Pass
 Castor chair suitability	EN 985	Continuous use	BREEAM® NOR
 Reaction to fire	13501	Bfl-s1	French VOC Regulation A+ Certified
Critical radiant flux	ASTM E648-15e1 NFPA	0.84 W/cm <sup>2</sup> Class I	French CMR components Pass
Smoke density	ASTM E622	< 300	AGBB/ABG Pass
 Walking test	ISO 6356 AATCC 134-2006	< 2 kv Permanently antistatic	Belgian VOC Regulation Pass
 Light fastness	ISO 105-B	≥ 8	Indoor Air Comfort Gold Pass
 Impact sound reduction	ISO 10140	19 dB	Blue Angel (RAL UZ120) Pass
 Acoustical absorption	ISO 354	αw = 0,15	EN 717-1 E1
 Walking noise reduction	EPLF 021029-3	SL70	M1 Protocol of July 2017 Pass
 Dimensional stability	EN 986 ISO 2551	Meets the requirements	Plasticizer Content Phthalate Free
 Thermal resistance	ISO 8302	Suitable for underfloor heating	
 CE Certificate	EN 14041	0493-CPR-0151	
 Slip resistance	EN 13893 ASTM C1028-07 DIN 51130 EM13036-4	≥ 0,3 0,85 R9 65	      

CO2 neutral on demand - \*Terms and conditions are available on request



## **MADE IN BELGIUM**

Commercial woven vinyl flooring for Workspaces, Hospitality, Healthcare,  
Public Spaces and Retail

284, Chaussée d'Aelbeke - 7700 Mouscron, Belgium  
+32 (0)56 85 47 47 - [info@2tec2.be](mailto:info@2tec2.be) - [2tec2.com](http://2tec2.com)

